

Table of Contents

Page:

‡5 Ancient Solutions of Venus & Mercury Orbits	by Dennis W. Duke	55
‡6 The Crucial-Test V-Bomb [Hey-Nobody's-Perfect]	by Dennis Rawlins	70
‡7 Unveiling Venus	by Hugh Thurston	91

In the 2002 March *Isis* (HistSciSoc), Harvard's O.Gingerich tries countering H.Thurston by *defending fraudulent "observations"* (Ptolemy's Venus data, incl. 2 different dates for the same event!), claiming the math was so hard that Ptolemy was *forced to hoax*. The present *DIO* is comprised of demonstrations that a problem which stumped Gingerich's Greatest ancient astronomer is easily solved: even by a highschooler, as the below program proves. [Thurston's geocentric method (‡7 §E) finds identical orbital elements even more easily.]

The "Essentially Insoluble" * — Solved by 10th Grade Math

```

10 Q$="Q":IF Q$<>"C"THEN F=2 ELSE F=1:REM"Q"equant,"C"eccentric
20 F$="e=###.###      A=####.#":IF Q$<>"C"THEN PRINT"Eq"ELSE PRINT"Ecc"
30 S=3:E$="n=##      ":G$=F$+"      r=###.###":H$=E$+G$
40 PI=3.141593:C=180/PI:C$=E$+F$:IF Q$="C"GOTO 70
50 E0=1/60:A=60:X0=E0*COS(A/C):Y0=E0*SIN(A/C)
60 PRINT USING C$;N,E0*60,A
70 G(1)=+(43+24/60):V(1)=148+34/60:REM AD138Evening
80 G(2)=+(48+17/60):V(2)=015+08/60:REM AD140Evening
90 G(3)=-(47+09/60):V(3)=064+06/60:REM AD140Morning
100 FOR I=1 TO 3
110 G(I)=G(I)/C:V(I)=V(I)/C:L(I)=V(I)-G(I)
120 L=L(I)*C:L=L-360*INT(L/360):L(I)=L/C
130 NEXT I
140 FOR I=1 TO 3:G=L(I)-A/C:IF Q$="C"GOTO 160
150 H=E0*SIN(G):G=G-ATN(H/SQR(1-H^2))
160 QX=cos(G)+E0:QY=sin(G):GQ=C*ATN(QY/QX):IF QX<0 THEN GQ=GQ+180
170 R=sqr(QX^2+QY^2):LQ=GQ+A
180 X(I)=R*cos(LQ/C):Y(I)=R*sin(LQ/C)
190 M(I)=tan(V(I)):B(I)=Y(I)-M(I)*X(I):NEXT I
200 FOR I=1 TO 3
210 J=I-3*INT(I/3)+1
220 IF sgn(G(I))=sgn(G(J)) THEN SH=PI ELSE SH=0
230 P(I)=-(B(I)-B(J))/(M(I)-M(J)):Q(I)=(M(I)*B(J)-M(J)*B(I))/(M(I)-M(J))
240 U(I)=(V(I)+V(J)-SH)/2:H(I)=(V(I)-V(J)-SH)/2
250 T(I)=tan(U(I)):F(I)=Q(I)-T(I)*P(I):NEXT I
260 FOR I=1 TO 3:J=I-3*INT(I/3)+1
270 C(I)=-(F(I)-F(J))/(T(I)-T(J))
280 D(I)=T(I)*C(I)+F(I)
290 S(I)=sqr((P(I)-C(I))^2+(Q(I)-D(I))^2)
300 R(I)=abs(S(I)*sin(H(I))):NEXT I
310 X0=X0-C(3)/F:Y0=Y0-D(3)/F
320 R0=R(3)*60:N=N+1
330 E0=sqr(X0^2+Y0^2):E=60*E0:A=C*ATN(Y0/X0):IF X0<0 THEN A=A+180
340 IF Q$<>"C"THEN PRINT USING H$;N,E,A,R0 ELSE PRINT USING G$;E,A,R0
350 IF N<S AND Q$<>"C" GOTO 140

```

* See ‡6 §B4. The above BASIC program performs the method developed within from ‡6 §D (teen-age-level ruler&compass crux) through to §G (iterative application to equant planet model).

DIO

The Ptolemy-Venus Double-Date: *Experimentum Crookis*

Are Ptolemy's Apologists Right:
Did His Proofs HAVE to Cheat?

Were His Data REQUIRED
to Contradict Each Other?

Are Admittedly Fabricated Data
THE GREATEST Astronomy?

‡6 The Crucial-Test V-Bomb [Hey-Nobody's-Perfect] How Claudius Ptolemy Could've Solved Venus' Orbit Honestly Greatest Elongations Exceeded by Greatest's Elongations by Dennis Rawlins

Can RN-DR be accused of cruelty to dumb animals, given the tightness of the evidential vise they've closed on the poor [Ptolemy defense-corps]? To watch prominent scholars thrashing about in such pathetic credibility-death agonies is akin to viewing Animal-Rights films of stoats caught in spring traps — trying to weasel out.¹

[Scholars who wish never to find themselves in the excruciating&logicbending position of Believers who've spent decades cornering themselves into having to keep forever alibiing Ptolemy's Venus,² stellar,³ & etc⁴ pretensions, are urged to ponder *DIO* 10 ☉2 pp.83-84. Watching Muffiosi forgive sin after Ptolemy sin, B.Rawlins recalls *Some Like It Hot's* finale: in-love Osgood hitch-pitches in-drag "Daphne", who reluctantly protests that "she" smokes, dyes, is barren, etc, etc. But Osgood forgives all. Desperate, Daphne finally bellows the ultimate *impedimentum-crucis*-bomb: I'M A MAN!!! Osgood: Well, nobody's perfect.]

A Muffiosi Laud Deliberate Fraud When You're Cornered

A1 On 1983/6/4, at a conference in Aarhus, Denmark, DR announced⁵ that Owen Gingerich's "Greatest Astronomer of Antiquity" — the infamous ancient plagiarist C.Ptolemy — had been faking "observations" with such profligate-sloppy haste (similar cases: fn 14) that he actually gave (fn 24) *the same Venus event 2 different dates over a month apart*. [But Osgood Gingerich is still in love. . . .] In the long history of the oldest science, no (other?) astronomer ever pulled off a blunder so gross. And do not miss the central point: this unique test-of-integrity arrived in an already-existing-for-centuries context of professional astronomers' multi-independently-founded suspicion that Ptolemy was an astronomical faker of equally unique massivity. (Ptolemy-defense lawyers feign obliviousness to all this, implying [§15] that these 2 uniquenesses' connexion in the same Ptolemy is JUST A BIG ACCIDENT.) Ptolemy's 136 AD Venus fake-pair — doubly-bungled *and* contradicting each other — is as pure an *experimentum crucis* as one gets in an ancient dispute. **If this isn't proof of fraud, what is?** In a sane field, such a glaring, unambiguous blunder would prove Ptolemy's long-suspected fakery beyond the slightest question, and the controversy would swiftly end. But, below, we will find that Ptolemy's double-dating has instead handed us an equally unambiguous *experimentum crookis*, published right in history of science's top journal (*HistSciSoc's Isis*), showing that his defenders are now hopelessly beyond even the baldest evidential testing of their faith, and will twist & even (fn 12) wholly-invent whatever it takes (*DIO* 4.3 ‡15 fn 42) to escape reckoning.

A2 Adding to his double-dating farce, Ptolemy claimed that, with his very own putative⁶ eyes, he actually *saw* greatest elongations which were (§15) *greater than greatest* elongations, another historically unique astronomical-mathematical achievement.

¹*DIO* 2.3 ‡8 §fn 46.

²See p.54.

³See, e.g., *DIO* 2.3 ‡8 §C33, *DIO* 12, & www.dioi.org.

⁴See Thurston 1998A.

⁵ Later published in Rawlins 1987 p.236 item (4). See also R.Newton 1985 pp.13-19.

⁶ See §I11. The only existing antique statue of Ptolemy (photo at Pedersen 1974 p.2) is not from the ancient era; but, through luck or wisdom (or just *DION*ysian bad taste) the sculptor rendered Ptolemy's eyes nearly completely shut — just the way one would depict a blind man. This charming little wooden statue may be found in Europe's tallest cathedral, that in Ulm, Germany.

A3 Swerdlow & Gingerich are religiously determined never to admit their blatantly obvious logical loss of the Ptolemy controversy. Now unambiguously cornered, the flush forces of OrthoDoxy⁷ have, in self-delusional response to a long cascade of crushing evidential disasters for Ptolemy-cultcowdom,⁸ laboriously concocted a numbingly elaborate, mirrormaze-sinuuous (note fn 61), and hilariously self-contradictory⁹ bluff — inventing out of pure nothing a claim that Ptolemy had no other choice but to commit a detailed and conscious fraud (an example certain worshippers have taken rather too much to heart). The Muffia's scenario: to establish Venus' orbit, Ptolemy *needed* Venus in certain configurations that didn't actually occur, so he "shaded" (fn 52) the observational data to make them happen. Well, even were this a well-founded proposal, it is no excuse¹⁰ for faking data. And the following paper now shows something further: besides being (fn 10) amoral & irrelevant, the apologists' lawyeresque defense-strategy excuse isn't even *true*. I.e., no ancient scholar "needed" to forge specially-placed data, since easily-obtainable regular real data fully sufficed for determinating Venus' elements (see §G), *if* an able mathematician were doing the data-analysis. Which suggests why Ptolemy (like the dimmer end of his curiously varied spectrum of modern defenders) never figured it out, though as we show within (§§D4&E13) the problem can be solved graphically with ease.

A4 *DIO* wishes to thank supercomputer specialist Dennis Duke (Florida State University) who, during a conversation of 2002/6/28, suggested that we should look into how the ancients actually could have determined Venus' orbit. His mass-data method (§5) was 1st distributed just a few days later (early July). On 2002/7/18, DR's Ptolemaic-math iterative

⁷ Those who have sales-pitched Ptolemy as The Greatest ancient astronomer (fn 10) have been increasingly exposed as having persistently and ineducably (fn 35 & Rawlins 2002B fn 3) confused secondary work with primary — thus promoting derivative, plagiarized, and laughably bungled work as the central pinnacle of immortal original ancient science. (Ptolemists are adamantly convinced that no one whose work included the high math analyses in the *Almajest* could be a mere plagiarist. They seem utterly unable to handle the following just-too-complicated-for-archons alternate-hypothesis: if Ptolemy plagiarized hundreds of admirable star-data [a point now universally regarded as at least probable], then: *mightn't he also have plagiarized the admirable math analyses?*) The eminent institutions involved in this Upper-Deadwood-inspired crusade — which has entailed systematic suppressions, slander, & (creditably noted by Schaefer 2002 p.40) shunnings of heretics — comprise a Who's-Who of academe: Harvard (my own school), Yale, Princeton, Brown, UChicago, Cambridge, Oxford U Press — all implicated in a mass-imposition that continues to make little sense but (fn 20) lots of dollars.

⁸*DIO* 9.3 ‡6 §N ticks off bovine-mentality cultists' standard sweet-to-vicious three-step evolution-history: sacred-cowing→money-cowing→critic-cowing.

⁹ While claiming that Ptolemy had to forge data to find Venus' orbital elements, both apologists (Swerdlow 1989 p.31 & Gingerich 2002 p.73 Fig.1 caption) of course have to admit (since faking positions requires elements) that Ptolemy (secretly) got these elements some other way — **which contradicts their entire he-had-to-use-fake-data-to-establish-elements premis**. (Further details at fn 22 & fn 52.) With appropriately deep gratitude, we must ask: outside of Muffiose literature or *Saturday Night Live's* ornately-pratfalling Gerry Ford, how often does one have the jolly good fortune to encounter stuff like this? (One recalls the *SNL*-Prez-Ford's puzzled reaction, when D.Hamill's 1976 Olympic performance was worshipfully described to him as culminating in a double sitzspin & triple somersault; he replied: so what? — I've done that getting out of a cab.) Perhaps the most extraordinary part of the spectacle: neither the authors, nor the publishers, nor the MacArthur Foundation detected this imposition before launching it as the prizewinning pinnacle of (centrist) Hist.sci scholarship.

¹⁰ This point is gently made by Hugh Thurston in his 2002 *Isis* paper (p.65). In Gingerich's reply immediately following, OG unfortunately continues to project that he has been absolutely right about everything throughout his three-decade crusade, during which he has prominently, repeatedly (fn 55), and adamantly defended astronomy's biggest faker and plagiarist as "the greatest astronomer of antiquity". (Thurston 2002S p.68 gave Gingerich the chance to retreat from this hilariously upside-down judgement. Instead, Gingerich 2002 p.70 obligingly updates his explicit insistence upon it; again, do not miss fn 55.) So, it should not particularly surprise us that OG could additionally conclude (fn 52) that deliberate scientific fraud is The-Greatest.

method was sent (by fax) to Keith Pickering, Dennis Duke, & Hugh Thurston — and DR hinted to Thurston that he might be the ideal scholar on Earth to devise a geocentrist-Greek-geometry version of this approach; soon after, Hugh sent his deft proof (here at ‡7 §D, gutting OG's *Isis* apology) to OG's *JHA*, which took over 1/2 a year to find it errorless and so of course refused it. [It was instantly added to this *DIO* (‡7, below), which was handed out a few weeks later at the 2003/6/19-22 Univ Notre Dame hist. astron. symposium.]

B Dumb Venus Tricks. Ancient, Etc.

B1 The History of Science Society's *Isis* recently published Thurston 2002S, a detailed coverage of R.Newton-*DIO* findings in ancient astronomy. Following this article appeared Gingerich 2002 (composed by the Louis Agassiz of the evolution of ancient astronomy),¹¹ attempting to blunt the Thurston article's force, but conspicuously challenging not a digit of it. OG's response never even mentions DR or *DIO* — the subjects of most of the article he's "replying" to — thus ducking *Isis*' & Thurston's generous & prominent display of *DIO*'s jewelbox of precise analyses & reconstructions (the distillate of several skilled scholars' decades of devoted inductive researches in the ancient astronomy area), featuring trim hypotheses' fits to 1 part in ordmag 10000 and up (Thurston 2002S p.60: Hipparchos' lunar numbers), 1000000000 (*ibid* p.62: AstronCuneifText 210). [But note: the closest fit cited (*ibid* pp.61-62: Mars: 1-part-in-10000000000 is false: see *DIO 11.2* ‡4 p.30. However, the DR-discovered Mercury fit (*DIO 2.1* ‡3 §C3) is even closer (1-part-in-100000000000 [a trillion!]) and since its input is totally attested (every digit is right in *Almajest* 9.3), its validity is now (*DIO 11.2* ‡4 fn 21 item [b]) unquestioned.] OG acknowledges no intelligence at all in these findings (not even in the 1/1000000000-precision *DIO 1.1* ‡6 reconstruction now on public display at the British Museum), *instead discerning Greatest-*

¹¹Lovably gregarious academic power-operator Louis Agassiz was the leading US fence against natural selection because: [a] He was a religious fanatic in Harvard-professorial garb; [b] committed to an increasingly untenable position, he expended his creativity not upon progressive research but upon devising convincing-to-him alibis against each successive awful enemy-evidence apparition. But he didn't spread lies about dissenters, nor attack heretic #1's character in anonymous ref-reports, while (*DIO 9.1* News Notes) ducking face-to-face debate with him. Given Gingerich's history (& see *DIO 4.3* ‡15), he might be seen as the resurrection less of Agassiz than of Galileo-arrester Cardinal Bellarmino. Which ironizes the prominent rôle of Mennonite OG (no kneejerk apologist for Holy Church) in PBS' 2002/10/29 *Nova* on Galileo. (Though OG was among the saner commentators, watch him & *Nova* go with the myth [Rawlins 1991P §F3] of stellar parallax as heliocentrism's long-awaited alleged-watershed proof.) This show's piety is so *neatly* apt to the (mutual) eternal-holy-war era of new-national-symbolton Shrubya (*DIO 2.1* ‡1 §A10); it cravenly ameliorates the Galileo Affair's prime significances: [a] Exploratory reason vs evidence-immune [fn 13] religious faith. [b] A heaven-touting but earthly-profit&power-seeking institution's centuries of concerted, lethally-brutal commitment to truth-suppression, isn't an unloadable-at-later-convenience little *oops*. It forever destroys an eternal-truth-claiming Church's intellectual (& religious) credibility. *Nova* portrays rebellious & strictly-bastard-siring Galileo as a "good Catholic". (Establishment pol-scientists [e.g., R.Millikan, D.Hughes (*DIO 1.1* ‡8 §B3), R.Jastrow] ever pseudo-meld religion&science, akin to missionaries' notorious willingness to graft local religions onto theirs.) *Nova* joins Pope JP2 in exploiting Galileo's statement that scripture cannot disagree with science, without asterisking such humor with the slightly relevant reflection that: had Galileo said otherwise, the intellectual zeroes of his day would have dragged him from his Church-decreed imprisonment, straight to the stake. Galileo got into enough trouble promoting astronomical dissent, without inviting independent harassment for theological heresy, too. (My Harvard SocSci prof S.Beer used to note: oldtime scholars might question either Church or State; but tolerance by at least one was required for advancement, so nobody thrived if alienated from both.) The situation was proclaimed to all by the then-recent [1600] burning-alive of Bruno, hero of rebellion against theological dictatorship, incredibly referred-to by *Nova* as a "new-age charlatan who denied the divinity of Christ"! This is just regurgitated 1913-edition *Catholic Encyclopedia* justification-apologia for religious murder: see *DIO 4.3* ‡15 fn 33 for the original *CE* source.

class genius in C.Ptolemy's most hilariously inept frauds (Venus): OG spends most of his *Isis* space speculating¹² — unencumbered by a gram of textual support¹³ — that "insightful" and deliberate "ingenuity and brilliance" by Ptolemy "the greatest astronomer of antiquity" secretly underlay two grossly false and *mutually-contradictory* Venus fakes which quite inadvertently¹⁴ produced his now-notorious super-Einsteinian¹⁵ claim (fn 24) — unique in astronomical history — that he 1sthand-*observed* the same celestial event at two different times and two different places (and with two different values!) 37^d and 37^o before&after itself (136/11/18 & 12/25).

¹² It appears to be hitherto unremarked that Gingerich's explanation of Ptolemy's "brilliant" (Gingerich 2002 pp.72&73) bungled fake is pure speculation: 100% gas — and in 100% disagreement with the 1st-hand representations of the very ancient astrologer whose integrity OG is supposedly defending. I.e., the *sole* "basis" for the NS-OG theory is: evidence-contradicted scholars demand an escape-hatch, even if it is completely, utterly made-up — simply designed to the specs of necessity. (Similarly, see, e.g., fn 13 or [a different cult] *DIO 9.3* ‡6 §A.) Ptolemy doesn't (fn 18) provide *any* of the Swerdlow-Gingerich scenario. (In 1909, Twain [*Essays* (ed. C.Neider) 1963 NYC pp.420f] gibed that Shakespeare-biographies were *nearly*-total "plaster-of-Paris". But NS-OG's biography of Ptolemy's Venus is *unqualifiedly*-total plaster-of-Swerdlow.) So we must here choose between 2 theories:

Theory A: Swerdlow&Gingerich are the greatest geni in our field's history, to have elicited so much detailed understanding of Ptolemy's mind, especially considering that he was carrying on his purported ingenuity "silently" (fn 57) according to Gingerich 2002 p.73. (OK, OK, there *is* a tiny glitch here: Ptolemy is not at all silent; instead, *as always*, honest Ptolemy consistently & explicitly contradicts his own agile modern alibiers' reconstruction-fantasies. See him do it again&again at *Almajest* 10, where Ptolemy repeatedly says he "observed" Venus at specific positions & times, nowhere stating *or even implying* that these data were fudged in the manner speculated by NS&OG.) Thus, in the absence of the slightest remark from "silent" Ptolemy supporting OG's & NS' reconstruction, we must depend entirely upon their brilliance to accept their view.

Theory B: Swerdlow&Gingerich have reached the end of the road and must admit the very Ptolemy fakery they both (Gingerich 1976 & Swerdlow 1979 p.524) originally denied (see fn 53); but, instead of having the frankness to acknowledge the late, Muffia-hated R.Newton's victory in the Ptolemy controversy, both keep contending that the dispute's losers are the true experts, and the winners are mere cranks (Rawlins 1991W §I7 displays & discusses similar Muffiose perversion) — all this while themselves convincingly imitating the key feature of cranks: clinging to long-held opinions despite avalanche after avalanche of evidence against them. (Same lesson at fn 23, fn 53, fn 55.)

¹³ At least Swerdlow 1989 p.59 openly states that his alibis are "speculative". But, after 1/3 century of denigrating Ptolemy-skeptics, Gingerich is now intensely aware that, if NS-OG's baseless Venus speculation (vainly dodging clear Venusian proof that the skeptics were right all along about Ptolemy) isn't accepted, then future scholarship must condemn his long history of attacks upon the sanity of those who in fact turned out to more perceptive than he. Thus, in his mind, his Venus-apology gas has become solid, immutable dry-ice Reality. (Similar unflagged Muffia transformation: Rawlins 1991W fn 242.) So he quite naturally supposes that those who cannot share in the construct of his genius must be cranks! (See, e.g., the typically slanderous part [not quoted in Gingerich 2002] of his 2000 referee report to *Isis*: summary here at fn 23.) You know, some authorities on crank science (a subject *DIO* has explored a good deal more than most academic journals) just might wonder if defending — and even elevating to Greatest-Brilliance status — the most disastrously bungled fraud in astronomical history isn't an almost deliciously ideal example, *perhaps even unsurpassable* [in the spirit memorialized at *DIO 2.3* ‡6 fn 18], of the evidence-cornered crank mind at work. (See fn 12 & fn 23.) Of course, Harvard-grad DR is comforted by firm surety that no prof at my eminent *alma mater* could possibly be a crank — a certainty bolstered by such other Harvard paragons of mental balance as: A.Counter, A.Hynek, T.Leary, J.Mack, W.Pickering, C.West. (Lest irony be deliberately misunderstood by someone: it goes without saying that [despite the occasional loon], I am hugely grateful for the wonderful education [in both matter and spirit] which Harvard provided myself and my wife.)

¹⁴ For other careless Ptolemy gaffes, see papers cited at fnn 15&61 and Thurston 2002S nn.13&14.

¹⁵ Physically impossible time&space warps regularly grace archonol tracts. See *DIO 1.1* ‡4 p.29 (preprint cited in Note [C]) & *ibid* ‡8 fn 16; Thurston 1998A ©12&©16; *DIO 10* §C4, Fig.9 & fn 119.

B2 Hitherto unnoted: Ptolemy's joke implies that Venus' synodic motion stopped dead for 37^d straight! — which tops even biblical Joshua, in the astronomical miracle dep't.

B3 To a scholar not glued forever to a tragic longago initial mistake (and not even his own mistake) — thereby irrevocably face-committed, by decades of hyper-ironic slander of the very Ptolemy-skeptics now utterly vindicated — Ptolemy's Venus disaster is simply a case where a Venus-Earth resonance (8-5) blocked kindergarten fabrication-options; as a result, the *Almajest* 10 Venus fakes were even more hilariously transparent than Ptolemy's usual: his ignorant preference (for imposing an inappropriate method upon Venus) so cornered him that in ultimate desperation he had to cheat Venus' actual 136/11/18 elongation [from the mean Sun] upward by over 1°3/4 [nearly *seven times* the Sun's semidiameter]. (This apology's inspirer does admit the 1°3/4: Swerdlow 1989 p.42.) Perhaps the weirdest point here: the forged 136/11/18 geocentric Venus position disagrees by over 1°.4 *with the very Venus orbit which Ptolemy faked it to "prove"*.¹⁶ This seeming absurdity is just a natural upshot of Ptolemy's clumsy attempt to force a ludicrously inapplicable simpleton-crude method upon a delicate orbit-determination problem, which had obviously already been solved years earlier by far better ancient analysts. (See other and parallel indications at §I9 & fn 55, ‡5 §C2, Rawlins 2003J §G4; also Rawlins 1996C §L4 and the inspired reconstructive-extrapolation of Jones 1999E p.258.) Both revealingly huge discrepancies are hardly deniable: see OG's own Fig.4 at *QJRAS 21:253* (1980) p.261, or Swerdlow at *JHA 20:29* (1989) p.37 Table 1. The rms error of the eight *Almajest* Venus greatest-elongation "observations" is ordmag a degree.

B4 Given that Gingerich & Swerdlow call "silly"¹⁷ physicist R.Newton's thoroughly founded conclusion that Ptolemy was a clumsy hoaxer, it is strange to see OG now claiming that Ptolemy's Venus fakes (and Gingerich 2002 agrees that these *allegedly*-outdoor¹⁸ 1st-hand "observations" are indeed based upon *indoor* concoctions) were just a matter of creating greatest elongations at mathematically convenient (if wildly false: §B3) places, an ever-so-*clever*¹⁹ ploy which Ptolemy was *forced-into* (equally-Ptolemyist Noel Swerdlow confidently agrees)²⁰ to crack an "otherwise essentially insoluble problem" (Gingerich

¹⁶The figures of Swerdlow 1989 p.42 and DR agree on this, to the arcmin.

¹⁷*DIO 1.1* ‡1 fn 18 & ‡3 §D2. OG also (fn 23) calls RN's views "offensive" & "absurd".

¹⁸Note clearly a key point here: if Ptolemy had *said* he calculated his Venus data, there would be no controversy. But instead, he claimed (fnn 12&24) that he *visually observed, in the outdoor sky*, Venus positions which all parties now agree were computed indoors.

¹⁹See §§B1&I5.

²⁰Swerdlow 1989 p.35 (emph added): the 8^y Venus-Earth resonance "makes the problem of finding greatest elongations close to the *required* positions . . . even more difficult." And p.36: Ptolemy's observation-dates' disagreement with ("departure from") the truth "*is not an error, but a compromise necessitated by the positions of the mean Sun required for the demonstrations.*" Thus, poor Ptolemy *HAD* to forge reality into the positions he wanted. . . . In this MacArthur-grant-subsidized paper (published by Gingerich's *JHA*), Swerdlow (*loc cit*) also alibis that since (near maximum) Venus' elongation changes merely 1°/12 in 6^d, "in no way could Ptolemy estimate the time" of greatest [maximum] elongation more accurately. (Gingerich 2002's incomparable p.72 goes even further into legalblindnessland, claiming that *one-degree*-accuracy in observation "is what Ptolemy typically worked with" — a sleight which neatly confounds ordmag 0°.1 ancient observational accuracy with the ordmag 1° enormity of the most delicious Ptolemy fudge.) We have already previously (*DIO 1.1* ‡5 fn 20) dealt with the tragic pre-highschool mentalblindnessland adventure of Swerdlow 1979 pp.526-527 (in the journal of PhiBetaKappa!), regarding estimation of maxima-times (solstices in that case), so I won't reprise the pathetic details here merely because he later repeated the folly under the MacArthur Foundation's aegis. But I will comment that none of this excuses inaccuracies of several weeks in Venus observations, leading to *dishonestly-reported* "observational" figures which are off by way over a *degree*. Moreover, what has uncertainty in time of greatest elongation (an error which can only *reduce* the elongation) to do with a faked "observation" which (§I5 [a]) *exceeds* the greatest elongation? It is on the basis of such then-politically-correct apologia that Swerdlow 1989 p.35 tractably concludes: "the selection of a particular date for true greatest elongation would be arbitrary in any case." This

2002 p.72; see also here at fn 57). Below (§D4), we will show that a simple *ancient-style*²¹ method (whose central step is highschool level) will solve this "insoluble" problem — and will do so without "requiring" any forging of reality whatever. Contrast-question: had an ancient heliocentrist (frustrated by geocentric data's inconvenient&confusing retrograde-loop zigzag apparent motion, seen from a moving Earth) faked "observations" as if he were viewing the universe from the Sun instead of the Earth — just to simplify things enough for even a Muffiose talent to pseudo-crack²² the "essentially insoluble problem" of finding Venus' eccentricity & apogee (which indeed *would* be alot simpler to find if the observer were standing on the Sun!) — then: would Ptolemyists be as forging of such embarrassingly-crude heliocentric dumbdown-fraud as of the geocentrist brand?

B5 In any case, I heartily recommend OG's elaborate apology, to all who seek the outer limits of unfalsifiability. For decades, this same²³ religiously evidence-immune author has (*even in anonymous referee reports*) indicated to everyone within range that his *opponents* are the cranks of the Ptolemy controversy. His perception (dissent from which marks one a crank in OG's eyes) is the epitome of reason and justice: a serial faker, massive plagiarizer, propagandist for a geocentrist mini-universe, and author of astrologers' bible, was: "the greatest astronomer of antiquity". For more, see www.dioi.org under *Sky & Telescope*.

conveniently-flexible, all-thumbs illusionism-prank is what the MacArthur Foundation funded (six-figure grant) to alibi an ancient hoaxer who so tanglefooted his Venus greatest-elongation fakes that the same 136 AD event ended up possessing two different dates thirty-seven days apart. (See fn 24. Again: what has 6^d uncertainty to do with this? — especially for an effect which is not linear but nearly quadratic! Similarly: what has 1°/12 uncertainty (fn 20) to do with the *Almajest* 10 Venus hoax's rampant ordmag 1° errors? I.e., why even *bring up* the 1°/12 alibi in the 1st place? — unless one is, heedless of coherent logic, just aiming to stack up as many alibis as possible, for deliberate squid-ink-pagefill-obscurantist purposes. [Is this the brand of scholarship John MacArthur had in mind to encourage? See *DIO 4.3* ‡15 fn 24 for what has become of the MacArthur awards.]) One can only conclude that it must have meant ALOT — to some Very, Very Special Archons — that Ptolemy's unique double-dating embarrassment-to-then-orthodoxy (Rawlins 1987 p.236 item 4) be extensively, prominently, & authoritatively salved-sanitized-skwashed. We admirably note that: upon such deeds are great careerisms reared.

²¹See fn 59 for the critical importance of this point to historians. The openminded ones, anyway.

²²Keep in mind (fn 9) that Gingerich is not claiming that the actual solution was accomplished by Ptolemy's fakes; no, OG thinks (Gingerich 2002 p.73 Fig.1 caption) that Venus' elements were already known (otherwise, Ptolemy could not have computed his fakes) — by an unspecified method which of course is the one *which Ptolemy should have explained* in the *Almajest*. Never-say-die loyalists cannot face this self-evident point — or the equally obvious item: Ptolemy was not the ancient who found the *Almajest* Venus elements. (A point understood long ago by R.Newton 1985 p.12.) But at least we all now agree with R.Newton that the whole *Almajest* 10 Venus discussion is fraudulent.

²³As to those Ptolemyists who have attacked skeptics as cranks: we note in passing here [& fn 13] that the prime symptom of the crank mentality is rigid imperviousness to incoming contrary data. Some have also expressed disapproval of "polemics" (note irony of fn 17), as in an OG anonymous 2000 referee report — which simultaneously refers to Ptolemy-skeptics as a tiny bunch of paranoids! Amused observers of such last-ditch-desperate (*DIO 10* fn 172) mud-hurlings are urged to check out the relative status, in the genuine scholarly community, of the board of *DIO* vs that of the *JHA*. The paranoia-charge against skeptics is just a broadbrush echo of an OG 1977 libel of DR: *DIO 4.3* ‡15 §H6. The resort to authority-vs-heretic classification is the Ptolemy cult's standard creationist-level-argumentation (*DIO 1.2* §§E4&N16) for its creationist-level sudden-miracle Claudius Let-There-Be-Light Ptolemy-godhead perception of high ancient astronomy's nascence. (See, e.g., Gingerich 2002 p.71.) For decades, Ptolemyists have been planting loyal scholars (either strange enough or tractable enough to assent to such creationism) into prominent positions in the AAS-HAD and *JHA* — the inevitable resultant damage to rational discourse in the history-of-astronomy community will carry down through yet more decades, long after many of us are dead. Thus, the better part of a century of communal reasoning is being maimed by a cult's political & scientific skills' predictably inverse correlation.

C Other Significant Oddities of Ptolemy's Venus Presentation

The *Almajest* Venus chapters are peculiar in ways additional to merely supplying us with the nonpareil hilarity of double-dating²⁴ the very same event.

C1 Ptolemy reports contemporary observations of Venus not taken by astrolabe. He does this for no other planet.

C2 Which explains another strange coincidence: of the five rare²⁵ *Almajest* Catalog stars with $1^\circ/4$ endings, 40% are used to measure the position of Venus. (See *DIO 2.3* ‡8 fn 20. These five are the only stars whose positions we know he didn't steal from Hipparchos.) This suggests that, when *grossly* (§B3) forging these observations to make them agree with the requirements of his amusing Venus frauds, he in each of these cases did not change Venus' reported angular distance from the reference star — but moved Venus where he wanted it by simply fudging the star's position: the star's shift just carried Venus with it.

C3 Further, when choosing a mean motion for Venus, Ptolemy most probably confused a sidereal and tropical period-relation (Rawlins 1985K & Rawlins 1987 n.7) — which so affected the original highly accurate motion (see Rawlins 1985K) that it fell from one of the two best,²⁶ into ridiculous inaccuracy. (Note Rawlins 2003J §E3.)

C4 One of Gerald Toomer's most important discoveries is that the several tables of Venus' mean motion are discordant (Toomer 1984 p.425 n.29). This is true for none of the other four planets.

C5 My conclusion is that much (if not all) of the *Almajest* Venus section was lifted from an ambitious but inferior source which Ptolemy did not use for the other planets.

²⁴ Those who have never consulted this ultimate Ptolemy blunder ought to look it up: *Almajest* 10.1 dates the 136 greatest evening elongation of Venus to 136/12/25, while on the very next page, at *Almajest* 10.2, he dates it to 136/11/18. See, e.g., Toomer 1984 p.470 vs p.471. Perhaps hitherto unhighlighted: Ptolemy not only gives contradictory dates&locations but also can't even get his story straight as to what this "greatest" elongation *itself* was. *Almajest* 10.1 makes it $47^\circ 32'$ (136/12/25), while *Almajest* 10.2 makes it $47^\circ 20'$ (136/11/18). See §I5 [a].

[Note added 2003. Hugh Thurston emphasizes that the 136 double-date disaster (reality 136/12/14 [Table 2 row 2] vs 136/12/25 [*Almajest* 10.1] again-vs 136/11/18 [*Almajest* 10.2]) is not atypical in giving wildly false Venus dates & positions for greatest elongations. E.g., Ptolemy alleges he *observed* the 129 greatest morning elongation at (*Almajest* 10.2) $t = 129/5/20$, $L = 55^\circ 2/5$, $V = 10^\circ 3/5$; compare to real data of Table 1 row 1: errors about 2 weeks & well over 10° . And Ptolemy alleges he *observed* the 127 greatest morning elongation at (*Almajest* 10.1) $t = 127/10/12$, $L = 197^\circ 13/15$, $V = 150^\circ 1/3$; compare to real data of Table 1 row 2: errors nearly 3 weeks & $c.20^\circ$.]

²⁵ That's 5 stars out of 1025 in the Ancient Star Catalog.

²⁶ The bases of the *Almajest* Venus & Mars synodic motions were off by merely ordmag $1'/\text{century}$. The Mars motion fortunately came through without confusion, so that the *Almajest* 9.3-4 tabular mean synodic position of Mars is still today (2002) accurate to about $0^\circ.4$.

D Solving the "Insoluble": Muffia&Co. vs 10th Grade Math

D1 Gingerich 2002 p.72 alibis Ptolemy's childishly botched (§B3) fabrications of greatest elongations of Venus by saying that Ptolemy *had* (fn 57) to fake impossible positions for Venus in order to pry the planet into convenient line-ups — without which the orbital elements couldn't be solved-for. Such an obviously false claim provides us one of the dizziest pinnacles of this rare treat of a paper.

D2 In fact, finding Venus' orbital elements (and in the very same geometric style which Ptolemy himself adopted)²⁷ is obviously possible. The mean motion is easy to find from stationary point data. (See Rawlins 1987 n.28 & *DIO 2.1* ‡3 fn 17. Any error in an adopted mean-longitude-at-epoch would so obviously affect stationary points' positions that correction would be trivially simple.) Thus, the elements that required determination from greatest elongations were: the deferent's eccentricity e & apogee A , and the radius r of Venus' epicycle. Now, it is typical of Ptolemy's Euclidean-geometric approach that if he seeks n unknowns, he uses exactly n equations of condition. (So, in this case, he would have needed just three greatest-elongation observations.) One of Ptolemy's weaknesses (typical of a non-scientist) is a failure to understand the preferability of overdetermination. (See Rawlins 1991W fn 224 & Rawlins 1996C fn 103.) We will now explain the method we have devised (for finding e , A , & r) that follows this approach. It is chosen both for simplicity and for its nonanachronistically Ptolemaic character. Indeed, our Venus method is more²⁸ Ptolemaic than Ptolemy's own Venus analysis (*Almajest* 10).

D3 The Ptolemy-alleged solar motion around the Earth is mathematically equivalent to terrestrial heliocentric motion. We will use this equivalence to simplify the problem conceptually — noting in passing that DR has long held²⁹ that the best ancient astronomers were heliocentrists anyway.

D4 We can then take three greatest-elongation observations of Venus (preferably spaced very roughly 120° apart: §G1) and graphically draw the line-of-sight for each: through the Earth's position in its own orbit (a function of the solar mean longitude, a known function of time). Once we have these three lines, we simply determine a circle, the Venus orbit (the geocentrists' "epicycle"), *such that it is tangent to all three lines*. Easy, since the bisectors of any two of these three lines must go through the center of the circle we seek. So there will be three two-line intersections, all at the same point: the circle's center. This key part of the problem can be accomplished graphically by a highschooler (less elementary mathematical equivalent: §E3ff), which is why it's so inspirational to watch eminent professors deem this simple task "essentially insoluble" (§B4).

²⁷ The iterative geometric proof that forms the heart (§G) of this paper has some similarities to the *Almajest*'s for the outer planets. (See Thurston 1994P.) So: why didn't Ptolemy know this? Suggestion: others' proofs for the outer planets were available to him, but the proof of Venus' elements was not — which deprivation forced Ptolemy into inventing (or perhaps grabbing from some other bungler) the off-the-scale-funniest fumble of his entire career of hoaxery: see §B1. Another possibility: the Venus situation is not so clear [though see ‡7] when viewed geocentrically (see, e.g., Pedersen 1974 p.300 Fig.10.1), as against our choice here to (likewise Gingerich 2002 n.6) view it heliocentrically, which holds Venus' orbit near one convenient place (§D4); so, did Ptolemy's false (geocentric) general view of the universe help cause his specific Venus-botch embarrassment?

²⁸ This happens because Ptolemy is busy with more than three "observations", so that he can pretend he proved the equant's validity from Venus. See fn 35.

²⁹ See Rawlins 1987 p.238 & nn.34-38, Rawlins 1991P, Rawlins 1991W. The point has always been self-evident to any investigator who is inductively inclined, mathematically able, and openminded: see, e.g., van der Waerden 1970 or Thurston 2002S p.62.

Table 1: Ptolemy-Selected Venus Greatest Morning Elongations (Real Data)

Date&Time t	GrElong G	Solar Mean Longtd L	Venus' True Longtd V
129/05/06 16 ^h	-44° 52'	43° 06'	358° 14'
127/09/22 18 ^h	-48° 20'	179° 41'	131° 21'
134/02/15 15 ^h	-44° 34'	324° 00'	279° 26'

(Here [and in similar tables below], we follow ancient convention in defining elongation as the planet's true geocentric longitude V minus the Sun's mean longitude L .)

E The Simple Eccentric Solution

E1 For Venus, Ptolemy uses the equant. (He pretends that he proved the equant model from Venus. Anyone who [like Neugebauer 1975 p.155] accepts this should note the provocative coincidence that Ptolemy's most hilariously and oversimplistically bungled planetary fake orbit-derivation was that for Venus.)³⁰ The equant model requires that our approach be iterative. But we will start by introducing the reader to the general problem by first considering a noniterative case: an eccentric-model solution for the three Ptolemy-selected greatest elongations of Table 1, which lists the *real* data (not his faked t , L , & V , most of which were [fn 24] in error by ordmag 10°!). That choice [reality] will hold for all three tables in this paper: each provides time t (Julian calendar, Alexandria Mean Time, midnight epoch), greatest elongation G (evening or eastern elongation is positive), solar mean longitude L , and true Venus geocentric longitude V for these greatest morning elongation cases:

E2 We start with the Earth's circular orbit centered at (0,0) with unit radius. and we will use the data of Table 1 to locate (in the x - y plane) the center of Venus' circular orbit. The opening steps are intermediate highschool math: the line corresponding to observation i (i running from 1 through 3) in Table 1 must go through the point

$$x_i = -\cos L_i \quad y_i = -\sin L_i \tag{1}$$

and the slope m_i (in the x - y plane) of line i is:

$$m_i = \tan V_i \tag{2}$$

The equation for line i is:

$$y_i = m_i x_i + b_i \tag{3}$$

Substituting eqs.1&2 into eq.3 determines b_i (line i 's intercept):

$$b_i = y_i - m_i x_i. \tag{4}$$

— so we have now completely determined all of the three lines that will locate Venus' orbit (since all three lines are virtually tangent to it):

$$y_1 = m_1 x_1 + b_1 \quad \rightarrow \quad 0.0308x_1 + y_1 = -0.7058 \tag{5}$$

$$y_2 = m_2 x_2 + b_2 \quad \rightarrow \quad 1.1363x_2 + y_2 = +1.1307 \tag{6}$$

$$y_3 = m_3 x_3 + b_3 \quad \rightarrow \quad 6.0188x_3 + y_3 = -4.2815 \tag{7}$$

³⁰ See fn 50, and R.Newton 1977 Tables XI.2 & XI.7-8; also pp.336-339. And note Gingerich 1980 Fig.4 & caption.

E3 We next determine the intersections of the three possible pairings of these lines: pt.A = the intersection of lines 1&2; pt.B, lines 2&3; pt.C, lines 3&1. Again, this is early highschool math (standard 2 linear-equations-in-2 unknowns problem):

$$x_A = +1.6614 \quad y_A = -0.7570 \tag{8}$$

$$x_B = -1.1085 \quad y_B = +2.3903 \tag{9}$$

$$x_C = -0.5972 \quad y_C = -0.6874 \tag{10}$$

E4 Next, we find the longitudinal direction B_k (where k equals A, B, or C) of the bisector of the two lines passing through each of these points. Using the data in Table 1, we have:

$$B_A = (V_2 + V_1 + 180^\circ)/2 = (131^\circ 21' + 358^\circ 14' - 180^\circ)/2 = 154^\circ 47' 1/2 \tag{11}$$

$$B_B = (V_3 + V_2 + 180^\circ)/2 = (279^\circ 26' + 131^\circ 21' - 180^\circ)/2 = 123^\circ 24' \tag{12}$$

$$B_C = (V_1 + V_3 + 180^\circ)/2 = (358^\circ 14' + 279^\circ 26' - 180^\circ)/2 = 228^\circ 50' 1/2 \tag{13}$$

E5 We have already (back in §E2) performed an equivalent of the next step: a point and a direction determine a line (a bisector in these cases). Each line's slope is the tangent of its B_k (§E4, eqs.11-13)

$$m_k = \tan B_k \tag{14}$$

Each line's intercept b_k is then found (as in eq.4) by fitting the line to the point given in §E3; thus, we find the equation for each of the bisectors:

$$y_A = m_A x_A + b_A \quad \rightarrow \quad + 0.4707x_A + y_A = 0.0250 \tag{15}$$

$$y_B = m_B x_B + b_B \quad \rightarrow \quad + 2.1068x_B + y_B = 0.0549 \tag{16}$$

$$y_C = m_C x_C + b_C \quad \rightarrow \quad - 1.1436x_C + y_C = -0.0044 \tag{17}$$

E6 Solving the above equations as three pairs, we are gratified to find that all three intersections are identical, thus precisely³¹ placing the center V of Venus' circular orbit in the x - y plane:

$$x_V = 0.01827 \quad y_V = 0.01644 \tag{18}$$

Since it is the deferent not the epicycle that is off-center in the Venus model, we simply translate the center negatively by the amounts indicated in eq.18 — in order to move Venus' orbit onto the center (0,0) of the x - y plane. This makes the Earth's orbit eccentric with an aphelion in the 3rd quadrant — which for a geocentrist fixes (180° distant) the deferent's apogee A , at a position given precisely by eq.18. Applying Pythagoras' Theorem and an arcsin to eq.18, and (in ancient style) multiplying the eccentricity e by 60, we have located the deferent's center at:

$$e = 1^p 28' \quad A = 41^\circ 59' \tag{19}$$

³¹We are expressing our result far more precisely than could be supported by naked-eye input data, but for effect we are noting that the three answers of course agree mathematically on the nose.

Table 2: Ptolemy-Era Venus Greatest Evening Elongations (Real Data)

Date&Time <i>t</i>	GrElong <i>G</i>	Solar Mean Longtd <i>L</i>	Venus' True Longtd <i>V</i>
138/07/09 20 ^h	44° 40'	106° 10'	150° 50'
136/12/14 01 ^h	47° 30'	261° 36'	309° 06'
132/02/21 23 ^h	47° 58'	329° 44'	17° 42'

E7 The radius of the Venus epicycle is then easily found by using any of the bisectors, starting with the half-angle *H* between that bisector and either of the two lines it is half-way between. We check all three:

$$H_A = (V_2 - V_1 - 180^\circ)/2 = 23^\circ 26' 1/2 \quad (20)$$

$$H_B = (V_3 - V_2 - 180^\circ)/2 = -164^\circ 02' 1/2 \quad (21)$$

$$H_C = (V_1 - V_3 - 180^\circ)/2 = -129^\circ 24' \quad (22)$$

Then, using our pre-translation data, we find the length *v_k* of the vector from intersection *k* (eqs.8-10) to the pre-translation center of Venus' orbit:

$$v_A = \sqrt{(x_A - x_V)^2 + (y_A - y_V)^2} = \sqrt{1.6431^2 + 0.7734^2} = 1.8161 \quad (23)$$

$$v_B = \sqrt{(x_B - x_V)^2 + (y_B - y_V)^2} = \sqrt{1.1268^2 + 2.3739^2} = 2.6277 \quad (24)$$

$$v_C = \sqrt{(x_C - x_V)^2 + (y_C - y_V)^2} = \sqrt{0.6155^2 + 0.7038^2} = 0.9349 \quad (25)$$

E8 Highschool trig then produces the Venus orbital radius *r_k*:

$$r_A = v_A \sin H_A = 1.8161 \sin 23^\circ 26' 1/2 = 0.7225 = 43^P 21' = 60^P \sin 46^\circ 15' \quad (26)$$

$$r_B = v_B \sin H_B = 2.6277 \sin 164^\circ 02' 1/2 = 0.7225 = 43^P 21' = 60^P \sin 46^\circ 15' \quad (27)$$

$$r_C = v_C \sin H_C = 0.9349 \sin 129^\circ 24' = 0.7225 = 43^P 21' = 60^P \sin 46^\circ 15' \quad (28)$$

(The perfect³² agreement of all three calculations of *r_k* is gratifying, but it is a mathematical not an empirical triple-verification.)

E9 Merging the results of eq.19 and §E8, we now possess all three of the Venus orbit elements we set out (§D2) to find — the epicycle radius *r*, as well as the deferent's eccentricity *e* & apogee *A*:

$$r = 43^P 21' \quad e = 1^P 28' \quad A = 41^\circ 59' \quad (29)$$

E10 However, the foregoing will not find the actual elements of Venus, because the eccentric model (even the equant model: §G) is not faithful to the actual motions of Earth (deferent) and Venus (epicycle). Thus, a different choice of observations at the outset (Table 1) can give a contrasting result. E.g., consider a trio of Ptolemy's evening greatest elongations:

³²All the foregoing numerical developments were done to better than 1 part in a million, though presented here several ordmags more crudely. That is why a given calculation here&there may appear slightly inconsistent in the last place.

E11 Applying the development of §§E2&E8 to the data of Table 2 will produce:

$$r = 43^P 21' \quad e = 1^P 18' \quad A = 86^\circ 21' \quad (30)$$

E12 The *r* values of eqs.29&30 are close to the truth. As will be noted below at fn 51, the *e* results are inappropriately (since this is not Ptolemy's model!) close to the value adopted in the *Almajest*, and the mean (c.64°) of the *A* values for eqs.29&30 is within 10° of the *Almajest* value. (See eq.49 below for Ptolemy's *e*, *A*, & *r*.)

E13 Note: all the key foregoing math (§§E3-E6) can be performed graphically in a matter of minutes by a teenager, using standard ruler&compass. It's a classic Euclidean problem, which teachers of the 10th-grade at Gilman School (Baltimore) tell me their students find not especially challenging. Try it for yourself.

So much for Ptolemy's "insoluble"-alibi for Ptolemy.

F Oft-Neglected Caution for Eccentric Orbits: Greatest-Elongation Sightlines Are Not Tangents

F1 We interrupt here for a moment, in order to highlight an educational item which is closely relevant to our method's efficacy: despite an almost universal instinctive presumption, greatest elongations do *not*³³ in general [though see ‡7 fn 2] occur precisely when the terrestrial observer's line of sight is tangent to the sighted inferior planet's orbit. Not even for the simple uniform-motion eccentric model — unless eccentricity is null. Nonetheless, for small *e* (or small *r*), tangency is virtually³⁴ the case.

F2 If one correctly (unlike Ptolemy) indoor-computes greatest elongations & associated Venus geocentric longitudes for a well-spaced trio selected from Ptolemy's own set of elongations — e.g., AD 127 morning, 132 evening, 134 morning — using his equant Venus model (not real observations), and substitutes these six data into the method of the present section, the deduced elements come out: *r* = 43^P10', *e* = 1^P15', *A* = 54°. Or, if we instead use the greatest elongations of AD 138 evening, 140 evening, 140 morning (again, accurately calculated from Ptolemy's Venus equant model), the data for which are provided right in lines 70-90 of p.54's program, the readout is: *r* = 43^P08', *e* = 1^P14', *A* = 57°. Both sets of results are virtually identical to Ptolemy's Venus elements (eq.49). (But if we instead generate these 3 gr.elongs. using nontrivial *e* = 5^P1/4 (while retaining eq.49's Ptolemaic *A* = 55°, *r* = 43^P1/6), then our p.54 program will output: *e* = 5^P.7, *A* = 58°, *r* = 41^P5/6, which are only approximately equal to the input elements; all these discrepancies are due to greatest elongations' non-tangency, as discussed at §F1.)

³³To be convinced of this at-first-surprising truth, one need only ponder an extreme case: a 99.9999%-eccentric-orbit (direct-moving) comet just inside the Earth's orbit. If we start with a neat (nil-elongation) situation with the Earth at the longitude of the comet's perihelion and the comet at aphelion, it is physically obvious that between then and comet-perihelion time (a little over 2 months after the time of the initial situation) — by which time the elongation is eastern — Earth observers have seen the comet at a greatest western elongation, though all western orbit-tangents during this time have been to the (long symmetric) half of the comet-orbit which the comet has not occupied. For other *DIO* examples of the heuristic utility of resorting to extreme cases, see: [a] *DIO 10* fn 91, [b] *DIO 2.3* ‡8 §§A5&A7, [c] *DIO 4.3* ‡13 fn 13. As for the time *t_F* it takes a body (comet or whatever, starting from null relative velocity) to fall into the Sun from a distance of 1 AU: this question has appeared on freshman astronomy tests — and without providing the neat answer (the simplicity of which hints at how it can be instantly obtained): *t_F* = 2^{-2.5} years.

³⁴Which is fortunate for our analyses of Venus, the planet with the smallest *e* in the Solar System. And, though bigger, Earth's *e* is also ordmag 1°. For approximately Bodean *r* and modest *e*, greatest elongations will on average (rms) be distant from tangency by an angle equal to ordmag the rss (root-sum-square) of the two planets' *e*; so, even for the unextreme Venus-Earth case, the errors are ordmag 1°, obviously contributing to roughness in our results for *A* (& etc).

Table 3: Dionysian-Era Venus Greatest Evening Elongations (Real Data)

Date&Time t	GrElong G	Solar Mean Longtd L	Venus' True Longtd V
-271/4/05 06 ^h	46°53'	9°10'	56°03'
-265/8/31 07 ^h	44°41'	154°38'	199°19'
-258/1/25 12 ^h	48°09'	300°15'	348°24'

G The Equant Iteration

G1 Once we adopt³⁵ the equant model, the ability to arrive at a solution in one direct line (as in §E) vanishes — and we must iterate, as Ptolemy himself does (fn 27) for his analyses of the outer planets. To test the equant case, we will choose elongations from the Dionysian era (when the equant may have actually debuted) — and we will use ones rather symmetrically separated. Table 3 provides the data for a sample equant investigation:

G2 When we switch from the eccentric model to the equant model, we lose the luxury of starting from a known position on the deferent (as in eq.1); instead, we must initially estimate the deferent elements (e & A) and input the implied Earth position, in order to launch the analysis which produces an improved set of deferent elements — which we then re-input: standard iterative technique.

G3 In order to save time, we will here start from the assumption of fairly accurate elements. But no matter where one starts out, the iteration will succeed — it just might require one or two more re-inputs to get the same result, which will be just as stable as one likes (conditional only upon the patience to keep iterating). Presumably aware that Venus' orbit is nearly circular, and thus that the deferent elements had to be nearly those of the

³⁵ See §E1. It might be objected that the reason we can here find our three Venus' elements from three greatest-elongations (while Ptolemy needs over twice as many to fake his Venus derivation: fn 28) is that we're assuming the equant model at the outset. Comments: [a] The equant was obviously (see Evans 1984) discovered via Mars (e 12 times Venus' & 5 times Earth's), so Ptolemy too was assuming the equant model before he did his Venus math. (See NS' & OG's admissions that Ptolemy knew at least some of his Venus orbital parameters ahead of time: fn 52 here & Gingerich 2002 Fig.1 caption.) [b] For either planet, the discovery of the equant could (§H2) have been based upon the fact that the equant model gives a much neater and more stable fit to observational data (than the eccentric model). For Venus, anyone will quickly see this by comparing results from testing the eccentric (§E) vs equant (§G) models upon several randomly chosen real greatest-elongation trios, using our program (p.54): eccentric-model scatter evaluated at §H1; equant-model scatter, at fn 48, the latter quite clearly an ordmag smaller. This dramatic contrast (not Ptolemy's disastrously faked derivation) is the probable historical origin of the equant's discovery, a point correctly perceived long ago by Toomer 1984 (p.474 n.12) and Evans 1984 (see also the latter's well-written 1998 book). Over the years, various scholars have suggested that Ptolemy personally invented the equant to solve huge problems presented by nontrivially-eccentric planetary motion. Question: if he did, then why did he "prove" it (*Almajest* 10.1-3) via the most trivially-eccentric planet (Venus), and using a method which was so infantile and impossible that it required faking "observational" data into *obviously* nonexistent symmetries and other ridiculously pat arrangements? More broadly, Gingerich 2002 p.71 (confusing mere street-astrologers with the real astronomers that Ptolemy leached off of [fortunately for our ability to reconstruct genuine ancient astronomy]) opines that "It really does appear that Ptolemy's work fundamentally changed the way planetary astronomy was done." Hmmm. As mathematician Jerry Wolf recently (02/10/18) commented: do such folk also imagine Euclid invented the *Elements*?! Secondary-writer Gingerich's ready confusion (fn 7) of mere secondary-sources with deep thinkers and intellectual pioneers is typical of the sort of elementary mis-step that can lead theoretically limited politician-scholars & clones down blind-alleys (and repeated embarrassment-in-controversy disappointments) for wasted *decades*. On this almost-too-naïve-to-be-believed archonal-tradition, see *DIO 6* †1 fn 106.

Earth's orbit, an ancient heliocentrist³⁶ might well start with round values close to the real Earth elements then ($e = 1^p03'$, $A = 64^\circ$):

$$e = 1^p \quad A = 60^\circ \quad (31)$$

Or, in cartesian coordinates, the Earth orbit center starts at:

$$x_E = e \cos A = 0.008333 \quad y_E = e \sin A = 0.014434 \quad (32)$$

G4 Since most discussions of the equant are long on diagrams (or series expressions) but short on exact equations, *DIO* will as a public service provide the process here, all on one line, eliciting true longitude λ from mean longitude L :

$$g = L - A \rightarrow u = g - \arcsin(e \sin g) \rightarrow \lambda = \arctan[\sin u / (e + \cos u)] + A \quad (33)$$

where λ is the Sun's true longitude (or, for the geocentric model, the true longitude of the epicycle's center) — at a distance R from (0,0):

$$R = \sqrt{(e + \cos u)^2 + (\sin u)^2} \quad (34)$$

For the 3rd L in Table 3, we apply eqs.33&34 to yield (R, λ) [polar coordinates]:

$$g_3 = 300^\circ 15' - 60^\circ \rightarrow u_3 = 240^\circ 15' - \arcsin(\sin 240^\circ 15' / 60) = 241^\circ .079 \quad (35)$$

$$\lambda_3 = \arctan[\sin 241^\circ .079 / (1/60 + \cos 241^\circ .079)] + 60^\circ = 301^\circ .922 \quad (36)$$

$$R_3 = \sqrt{(1/60 + \cos 241^\circ .079)^2 + (\sin 241^\circ .079)^2} = 0.9920 \quad (37)$$

Eqs.36&37 can be converted to cartesian coordinates:

$$X_3 = R_3 \cos \lambda_3 = 0.5246 \quad Y_3 = R_3 \sin \lambda_3 = -0.8420 \quad (38)$$

Since greatest-elongation-sighting line #3 goes through eq.38's point at longitudinal angle $348^\circ 24'$ (V_3 in Table 3), this line is now completely determined; so we can proceed much as we did back in §E: for any line, if we know [a] its slope (V) and [b] the coordinates of a point (eq.38) that's on the line, we have determined the line — and can find its equation (as in §§E2&E5). From [a]&[b], the 3rd line's equation is determined as:

$$0.2053 \cdot X_3 + Y_3 = -0.7343 \quad (39)$$

(analogous to eq.7 in the foregoing eccentric-model development); and to find lines #1, one simply applies our equant-model eqs.35-39 to the data of the first two rows of Table 3. (The results will be analogous to our eccentric-model eqs.5&6).

G5 And the rest of the process is parallel to §E's development. (It is not continued in our text, but its details will be evident in the BASIC program printed at p.54.) It works for the equant model just as well as it did for the eccentric model. Again, the central step is finding a circle that is tangent to three known (greatest-elongation) lines: §E3ff. The eventual solution for the center of the Earth's orbit in the Venus equant case (§G4) is, in cartesian coordinates:

$$c_E = -0.000784 \quad d_E = +0.003286 \quad (40)$$

or, in polar coordinates:

$$e = 0^p .2027 \quad A = 103^\circ .4 \quad (41)$$

³⁶For a genuine ancient heliocentrist, this entire procedure would be inherently flawed by its Ptolemaic presumption that the Venus epicycle is exactly uniform-circular — when one of the advantages (see Rawlins 1987 pp.237-238) of the heliocentrist scheme is that it permits Venus & Earth to each have orbital eccentricity. Thus, if this paper's trio-method was actually used in antiquity, it was probably as just a heliocentrist's first step (viewing from an already-known Earth orbit) towards determining Venus' orbital elements. The actual historical evolution was probably: heliocentrists developed a full set of planetary elements — which were later corrupted by geocentrists twisting them to pretend that all epicyclic motion was uniform-noneccentric. See *idem*.

G6 At this point, we realize that c_E & d_E are simply the first gauging of our positional error (on the x - y plane) in the initial estimate (eq.31) of the deferent (Earth orbit) center. So we now just shift that center according to the indication of eq.40 and then repeat the eqs.31-41 procedure — a method which (by repetition) will quickly reduce the error to virtual nullity. I.e., eq.40 will shrink to (0,0).

G7 But trial shows³⁷ that this iterative process's convergence is at least an ordmag quicker if we alter the initial center by *half* of the vector (c_E , d_E), not the full amount. Thus, the next turn in our iteration starts by merging eqs.32&40 according to that principle:

$$x_E = e \cos A - c_E/2 = 0.008333 - (-0.000784)/2 = 0.008726 \quad (42)$$

$$y_E = e \sin A - d_E/2 = 0.014434 - (+0.003286)/2 = 0.012791 \quad (43)$$

or:

$$e = 0^p.9290 \quad A = 55^\circ.70 \quad (44)$$

This x_E & y_E solution is then re-inserted into eq.33 and the process down to eq.44 is repeated — again&again, until satisfactory stability is attained. There is some oscillation of e & A as the iterative math swoops-in onto the correct solution. But after only three repetitions, the fit is already ordmag 1% — which would have been more than adequate precision in antiquity, given the likely uncertainty of the empirical input.

G8 By contrast, there is very little flutter in the Venus epicycle radius r . On the initial assumed e & A (eq.31), it comes out as $r = 43^p.344$. Throughout the entire iteration, it hardly varies at all from the eventual exact solution, which for this case is $43^p.343$.

G9 Continued iterative loops produce the following successive solutions:

$$\begin{aligned} r &= 43^p.343 \quad e = 0^p.8916 \quad A = 55^\circ.59 \\ r &= 43^p.343 \quad e = 0^p.8811 \quad A = 56^\circ.18 \\ r &= 43^p.343 \quad e = 0^p.8806 \quad A = 56^\circ.51 \\ r &= 43^p.343 \quad e = 0^p.8817 \quad A = 56^\circ.61 \\ r &= 43^p.343 \quad e = 0^p.8824 \quad A = 56^\circ.61 \\ r &= 43^p.343 \quad e = 0^p.8826 \quad A = 56^\circ.60 \end{aligned}$$

The swiftness of convergence is obvious. Further looping settles in on a precise³⁸ solution:

$$r = 43^p.343 \quad e = 0^p.8825 \quad A = 56^\circ.59 \quad (45)$$

which may be expressed as:

$$r = 43^p21' \quad e = 0^p53' \quad A = 57^\circ \quad (46)$$

³⁷It is possible that Ptolemy's Venus woes were initiated by his unawareness of this step (and its importance to efficient iteration here), which is consistent with (fn 35) our contention that he did not discover the equant (our halving) from original analysis of Venus' motion (a once-common belief).

³⁸Of course, the precision here is misleading, given the input's empirical uncertainty and the limitations (see §F) of the iterative procedure. However, the stability of the solution is not illusory. A measure of that: we have ignored apsidal precession (Earth and-or Venus) entirely in these analyses. (After all, the §G development is based upon data covering only 12^y.6.) If we include it, eq.46's results all shift by less than one part in 1000. So, since the effect is trivial and since we do not in any case know exactly what (if anything) real ancient scientists would have done about precession during this math, it seemed pointless to introduce such speculation into these investigations. A note in passing: if one injects reasonable noise into the input data [lines 70-90 at p.54] for honest computation of elements, the effects on induced A and r are trivial; on e , temperate.

G10 That these eq.46 elements are not quite correct is inevitable since (see also §F) the method we are using here is attempting to simultaneously satisfy two elliptically-nonuniform effects (Earth's motion & Venus') with two non-elliptical models: an equant (Earth) and a uniform circular motion (Venus). (I.e., real nonuniform-motion of Venusian periodicity is not accounted for by anything in the Ptolemy model.) By contrast, if one applies the foregoing method (eqs.31-46) to greatest-elongation "observations" computed from Ptolemy's Venus model, then the resulting solution (analogous to eq.46) will be very close to Ptolemy's r , e , & A (eq.49). Readers should test this for themselves. (Neat sample results of such testing are provided in §F2.) Especially Swerdlow & Gingerich. For now we come to a simpler test — not of orbital elements but integrity elements: will these much-exalted³⁹ Experts have the guts to explore this easy demonstration that they have mutually disgraced the history-of-science field by years of prominent (and heresy-slandering) promotion of their laughable⁴⁰ claim that our highschool-math-level problem here is *insoluble*? Haven't we been through this drama before? — see fn 40 — with the crucial differences that the previous player (an unexcelled scholar in his area) [a] was courageously concerned to set the record straight⁴¹ and [b] wasn't habitually decreasing that disagreement from his opinion was a sign of insanity,⁴² scholarly kookery⁴³ (!), or dishonesty.⁴⁴ But, then, ever-obsessively-dedicated kook slayer Owen VanHelsing Gingerich is admittedly a very special case.

H Reflections; and Appreciating The Greatest's True Greatest

H1 As we see by comparing eq.30 to eq.48, the eccentric solutions are quite sensitive to our selection of the three input greatest-elongations. Different choices will produce quite different values for e and for A — a point already extremely obvious via comparison of eqs.29&30!

H2 But this is much less true of the equant analysis — a point which could⁴⁵ well have helped clue⁴⁶ ancients to the preferability of the equant. Any well-spaced Dionysian-era trio will produce e just under⁴⁷ 1^p and A around⁴⁸ 57°, with scatter over a range of about

³⁹See the Amer Astr Soc-affiliated HAD's *H.A.D.News*, which regularly showers Gingerich with HAD-board praise so fulsome that the HAD should have been megarettchedly embarrassed even before the present revelations.

⁴⁰See discussion at *DIO 1.2* §I10. Same problem here: x equations of condition will determine x unknowns. What scholar posing as an authority in orbital matters would not know that?! The ancient computer of the "Ptolemy" proofs of the outer planets' elements was obviously familiar with this ultra-elementary point.

⁴¹*JHA* 26.2:164 (1995 May). (See also *DIO 6* ‡3 §H.)

⁴²See *DIO 4.3* ‡15 §H6 & Gingerich's 2000 referee report on Thurston 2002S for *Isis*.

⁴³In the present context (stubborn & technically-innocent insistence upon clinging to one's central cult-tenet), the spectacle of watching (e.g., *DIO 1.1* ‡3 §D2) Swerdlow accuse another scholar of being crank sets new records in the irony dept.

⁴⁴See, e.g., *DIO 1.1* ‡3 §D2-D3 & ‡6 fn 5, *DIO 1.2-3* fnn 92 & 252.

⁴⁵However, regarding likely historical chronology, See fn 35 item [a].

⁴⁶See fn 35 item [b]. Also ‡5 §E4.

⁴⁷In the Dionysian era: for evening greatest elongations, the mean of results for e is 0^p51' in a range of ±0^p02'; for morning greatest elongations, mean is 0^p57' in a range of ±0^p03'. [The program at p.54 will also automatically handle a mixed trio (morning&evening data): sample at lines 70-90.]

⁴⁸Sample-testing of series of well-spaced evening and morning trios in the Dionysian era finds that the average for A is 57°: evening 60°, morning 54° (an asymmetry that varies according to era), with scatter-ranges under 4°. If one uses 3 consecutive evening greatest elongations or 3 consecutive morning greatest elongations, the configurations are less well-spaced — but the mean and scatter (of induced elements) are virtually identical to those for well-spaced elongations. Since numerous Dionysios-era trios produce A very close to 55°, it is tempting to wonder if this result came through

$\pm 6^\circ$ (rms 4°) — mere averaging of results from a few trios would have shown this. Thus, fairly consistent inductions of Venus' e , A , & r would have required under a decade of careful observations. Indeed, 3 of the last 4 Venus elongations (138 evening, 140 evening, 140 morning) available⁴⁹ to Ptolemy would have sufficed in barely two years! (He actually recorded [badly] both 140 events.) For these three greatest elongations, substituting real data into lines 70-90 of our p.54 program yields:

$$r = 43^p 24' \quad e = 0^p 50' \quad A = 64^\circ \quad (47)$$

Note that our results (eqs.46&47) are in good agreement with the more reliable estimates⁵⁰ found by R.Newton using least squares, fitting very extensively to the actual orbit of Venus (R.Newton 1977 p.311):

$$r = 43^p 22' \quad e = 0^p 50' \quad A = 60^\circ 12', \quad (48)$$

H3 Ptolemy's values⁵¹ for Venus were (*Almajest* 10.1-3):

$$r = 43^p 10' \quad e = 1^p 15' \quad A = 55^\circ \quad (49)$$

His alleged method of finding them was a childish forgery-of-reality, in order to make the problem simple enough for his limited mentality to solve it (note §B4's hypothetical parallel dumb-down heliocentrist-forgery) — a hoax so bungled that its two dates for the same event (fn 24) accidentally disagreed *by over a month*, thereby creating a truly unquestioned Greatest:

THE most hilariously inept fraud in the entire history of astronomy.

to Ptolemy without correction for precession.

⁴⁹That is, the last four Venus elongations that occurred before the final "observation" (141/2/2) recorded in the *Almajest* (9.7).

⁵⁰ R.Newton 1977 p.311 showed (see also fn 30) that the equant should not use symmetric eccentricities: for Venus, the ratio of the two eccentricities should (R.Newton 1977 Tables XI.2&8) have been about 8:7 instead of equal (as Ptolemy makes them: *Almajest* 10.3). But here we simply sum the two equant-style eccentricities he found, in order to allow a crude comparison to our eccentric-model values. Of course, we should use half this sum (when comparing Newton's equant results to ours: §G), namely, $0^p 50'$.

⁵¹ As hinted in §E12: the poorness of his e may be due to his having accidentally gotten it from someone's eccentric-model analysis — see eq.30.

References

- Almajest*. Compiled Ptolemy c.160 AD. Eds: Manitius 1912-3; Toomer 1984.
DIO: The International Journal of Scientific History (www.dioi.org)
 J.Evans 1984. *American Journal of Physics* 52:1080.
 O.Gingerich 1976. *Science* 193:476.
 O.Gingerich 1980. *QJRAS* 21:253.
 O.Gingerich 2002. *Isis* 93.1:70.
 Alexander Jones 1999E. *ArchiveHistExactSci* 54.3:255.
 Karl Manitius 1912-3, Ed. *Handbuch der Astronomie [Almajest]*, Leipzig.
 R.Newton 1977. *Crime of Claudius Ptolemy*, Johns Hopkins U.
 R.Newton 1985. *Origins of Ptolemy's Astronomical Tables*, U.Maryland.
 O.Pedersen 1974. *Survey of the Almajest*, Odense U.
 D.Rawlins 1985G. *Vistas in Astronomy* 28:255.
 D.Rawlins 1985K. *BullAmerAstronSoc* 17:852.
 D.Rawlins 1987. *American Journal of Physics* 55:235.
 D.Rawlins 1991P. *Journal for Hysterical Astronomy* 1.1 ‡7.
 D.Rawlins 1991W. *DIO&Journal for Hysterical Astronomy* 1.2-3 ‡9.
 D.Rawlins 1996C. *DIO&Journal for Hysterical Astronomy* 6 ‡1.
 D.Rawlins 2003J. *DIO 11.2* ‡4.
 B.Schaefer 2002. *Sky&Tel* 103.2:38.
 Noel Swerdlow 1979. *American Scholar (ΦBK)* 48:523. Review of R.Newton 1977.
 N.Hamilton-Swerdlow 1981. *JHA* 12:59. Review of R.Newton 1976.
 Noel Swerdlow 1989. *JHA* 20:29.
 Hugh Thurston 1994P. *DIO 4.2* ‡6.
 Hugh Thurston 1998A. *DIO 8* ‡1.
 Hugh Thurston 2002S. *Isis* 93.1:58.
 Gerald Toomer 1984, Ed. *Ptolemy's Almagest*, NYC.
 B.van der Waerden 1970. *heliocentrische System . . . griech, pers & ind Astron*, Zürich.

I Appendix: A Boobonic Plague of Upside-Down-Apologia

II Instead of using the valid methods demonstrated here in §G or ‡5, Ptolemy preferred to fake Venus "observations" using a crudely-rearranged (utterly impossible-fantasy) version of the very theory he claimed he was trying to prove *from* the faked data. (If such a lying inversion of genuine empirical investigation [and plain truth] isn't a crime against science, then there's no such thing.) See, e.g., Gingerich 2002 or Swerdlow 1989.⁵² Both papers

⁵² Top-public-apologist O.Gingerich is now going about exclaiming his *ecstasy* in discovering that Ptolemy systematically "shaded" his purported Venus observations to make up for the inconvenient reality that Venus wasn't actually at the greatest elongation point when & where his fraud required it to be. (**Crucial-test-on-crucial-testing**: does OG's belated recognition of Ptolemy's Venus frauds decrease [Rawlins 2003J fn 21] or increase or leave-fixed OG's superlative rank of his ancient idol? See fn 55.) Likewise Swerdlow 1989 p.35: "the observation has been adjusted to the position the planet *would have had if* it were at greatest elongation"; p.42: data were "arranged"; p.54: Ptolemy "could not have observed some of the reported elongations"; p.54: "Ptolemy's adjustments of whatever he observed were of the order of 1° ". But the strangest part of MacArthur-funded Swerdlow 1989 is (p.31): "Ptolemy must earlier have carried out analyses by quite different means . . . [to find] at least preliminary parameters". (See fn 9.) Since the *Almajest* proofs of celestial parameters are patently phony, these numbers clearly had a different origin, but we continue to look in vain for the data (other

are by leading losers of the Ptolemy Controversy, who lack the simple integrity to admit their defeat.⁵³ (But, then, their praise of Ptolemy's fakery suggests that honesty is not quite at the top of these archons' list of desirable human virtues.) Instead, they have painted themselves into the corner of having to say: well, OK, so Ptolemy *did* fake the data — how wonderfully clever of him! If you can't believe this (and who would blame you?), then: read both papers. (Some special enticement-sample logical-gems are collected in fn 52.)

I2 Bottom-lines for Ptolemy's finding *r*, *e*, & *A*: [a] He picked a terrible method (§B1). [b] He could only make it "work" by faking data (§I5). [c] He fumbled the fakes so badly that he even double-dated two (§B). [d] He had a poor⁵⁴ eccentricity *e*.

I3 Gingerich 2002 p.72 nearly swoons in admiration of such achievements, designing the boldly-invert term "approximations" for Venus places that Ptolemy super-unapproximately faked in order to get them on-the-nose-precisely where his crackpot method needed them (emph added): "Such *approximations*⁵⁵ are characteristic of our *most* insightful scientists, who see them as a way to tackle *otherwise intractable problems*." What are the standards

than the number of digits to the left of the decimal point on a MacArthur grant-checkque) which have convinced NS of the bizarre proposition that the astrologer-geometrist-plagiarist who faked clumsy pseudo-proof after clumsy pseudo-proof (oblivious to the most elementary empirical considerations, e.g., fn 24, or Thurston 1998A ©16), was actually a proto-Isaac Newton when no one was looking: an immortal scientist and a deft empirical investigator who carried out competent clandestine derivations (there are some wonderfully accurate parameters embedded in the *Almajest*, e.g., Mars' mean synodic motion, Mercury's inclination) — derivations which, despite his high integrity and the vast bulk of his encyclopaedic output, he nowhere reported, so that all are now regrettably Missing. Among the achievements implicit in Swerdlow's intensely religious revelation: Ptolemy used *accurate* unreported observations to secretly find his theories, but then reported these same theories in the *Almajest* as if they were based upon highly *inaccurate* observations. See further extreme irony noted at Rawlins 1987 p.237 (item 3 & final sentence of item 2).

⁵³ Note: Swerdlow 1979 p.524 affected horror at R.Newton's attack on Ptolemy's "reputation for integrity" — yet when Swerdlow finally, a decade later, agreed (fn 52) to the Ptolemy frauds we're discussing, one item was found inexplicably missing from Swerdlow 1989 (especially from its n.1, which specifically cites his earlier attack on RN): namely, NS' appropriately contrite retraction of his earlier repulsive abuse of R.Newton for saying the same things. (See fn 12.) But, OG&NS share a common problem: how *can* an upper-case Authority retract? The surest mark of a privately-insecure fake expert is his palpable terror of ever being viewed as seriously mistaken. The resultant rigidity explains why high-society academe (increasingly crowded by creatures who frantically spend too much energy at brainkissing to leave much over for serious research: *DIO* 2.3 ¶6 §F2) ends up weighed down by functional cranks — since a crank's most characteristic feature is his inability to change his opinion in response to incoming evidence.

⁵⁴ See R.Newton 1977 Table XI.7 and here at §C3 & fn 30.

⁵⁵ Linguistic manipulation ("approximations" for deliberate forgeries) is a classic Orwellian technique for avoiding admission of controversy-loss; in like (if less perverse) spirit, Swerdlow 1989 p.35 repeatedly calls Ptolemy's faked Venus places "required" positions. (Gingerich 2002 p.72 [pushing same sham]: "desired" positions.) Translation: Ptolemy's forgeries were computed *from* pre-known theory and brought forth by him as evidence *for* that very same theory (fn 57), a swindle (note related [and even more spectacular] archonal flipflop cited at Rawlins 1991W fn 99) which O.Gingerich has been telling us for decades is the best — "the Greatest" — type of ancient science! (For several unevadable proofs that Ptolemy possessed parameters before constructing his purported proofs of them, see: fn 57, §B3, Thurston 1994P, Rawlins 1987 pp.236-237 item (5) & n.25.) In brief: between slanders of those who condemn Ptolemy, OG is now admitting (Gingerich 2002) that Ptolemy indeed (as all OG's slandees realized decades before OG) used *indoor* computations to fake *outdoor* observational data. Thus, OG has undergone a crucial position-shift on the evidence, but (revealingly) *it has not caused him to retreat one micron* from his pre-admission (Gingerich 1976) position — as he exhibits wondrously ineducable constancy (fn 10) in verbatim-echoing Neugebauer 1975 p.931's rating of a plagiarist as "the greatest astronomer of antiquity": see Gingerich 1976, Gingerich 1980 p.264, & Gingerich 2002 p.70. The religious adherence to preconception, entirely regardless of incoming evidence, is downright Ptolemaic. See fn 13, and especially fn 61 & *DIO* 2.3 ¶8 §§C25 & C31-33.

of journals & foundations that repeatedly promote such amateur reveries (unrefereed by anyone truly capable in the area) as the judicious inductions of a genuine expert?⁵⁶

I4 Such repulsive corruption of the ideal of scientific creativity is sufficiently remarkable that the entire academic community ought to be alerted to Ptolemy-defenders' pioneering efforts at rolling back the frontiers of archonal apologia.

I5 With respect to Ptolemy's Venus doubledating-pratfall (fn 52): while NS & OG fantasize that Ptolemy was *forced*⁵⁷ into cheating, they slyly fail to face the question of what the hell this speculation has to do with explaining Ptolemy's fakery *getting so fouled up?* Is our lovingly impervious defenders' next trick going to be: convincing the world that Ptolemy *needed* to create hilariously and (§§B2&B3) enormously self-contradictory fakes? — capped off by his 140/2/18 claim that he *saw* (at virtually the correct date) Venus' elongation from the mean Sun at 48° 1/3, even though *Venus never got beyond 48° at any time during its entire 140 AD evening-star cycle*, a discrepancy larger than the lunar semidiameter, yet another genuine & impressive Ptolemy first (deserving rank almost up there with double-dating a celestial event): ***The Greatest's elongation was greater than the greatest elongation.*** One can similarly describe Ptolemy's 136/11/18 "observation": how can he at *Almajest* 10.2 call 47° 1/3 the *greatest* 136 AD evening Venus elongation when — by his own massively disparate (fn 24) but immediately-adjacent *Almajest* 10.1 account — the greatest 136 AD evening Venus elongation was 1°/5 *higher* (47° 8/15) on 136/12/25? Thus, The-Greatest racks up one more⁵⁸ greater-than-greatest elongation. (This

⁵⁶The (sometimes) illogical outgassings of Ptolemy's (mostly) math-challenged defenders are taken seriously because some are at major universities. Readers who may on this basis have supposed that these gentlemen have some special understanding of orbital matters should notice the embarrassingly one-sided ratio of each side's original research publications on dynamical astronomy in professional astronomical journals. (One would normally be very reluctant to bring up such a point — but if Muffiosi somehow find it self-reassuring to spend decades slandering [as nuts, fools, etc] those who merely disagree with them, then coldwater-reminders on genuine expertise are occasionally going to happen. Note that *DIO* has always held that such imbalances do not prove that we are righter than Muffiosi regarding the contended points between us. [See *DIO* 1.3 ¶10 (3rd-last paragraph).] Our position is merely that the Muffia's incessant and curiously aggressive we-are-The-authorities-around-here posturing just might perhaps be a slightly less than completely perfect guide to the truth. Unless we are seeking transparent indicia of which side is seething with inward insecurity.)

⁵⁷ Gingerich 2002 p.73: "there is no other way to establish this geometry" (see also §B4) so Ptolemy "silently [vs fn 12] increased elongation angles, which makes his solution for the final parameters considerably more accurate." Gingerich's comment on parameter-accuracy seems intended to justify & defend Ptolemy's Venus frauds. But the point is that Ptolemy *already knew* roughly-correct parameters (as OG realizes on the very same page) "from many unspecified observations". (Actually, the Venus *e* and [*Almajest* 10.4] mean motion weren't very good.) So Ptolemy simply fudged his proof's data in order to get the "right" answers. (Historians may not know what getting the right answers from wrong data means, but scientists certainly do. See, e.g., Rawlins 1987 p.237.) This outrageous perversion of inductive science, which (fn 55) pretends to find parameters from observations when the reverse is the case, lifts OG to praise which is so ethics-bending that it can serve as lawyeresque inspiration to forgers everywhere. (See *DIO* 2.1 ¶2 §§H31-32.) Henceforth, all freshman-lab cheaters who skip the day's experiment and instead "silently" fake data (from the very theory they're supposed to be testing) can just pass off such dishonesty as what a well-known Harvard prof has, after all, prominently deemed "*a brilliant tour-de-force of theoretical and observational INTERACTION*." (See Gingerich 2002 p.73; emph & caps added.) One can joke about it (will successful street-mugging now be renamed "brilliant provider and providee interaction"?) — but, as I once asked (*DIO* 1.2 §E4, in related exasperation & context): "how does one satirize material that already reads like satire?"

⁵⁸ Extra oddity: at *Almajest* 10.4, Ptolemy correctly says that his 138/12/16 position for Venus is "after" greatest elongation — even though it is closer (off by 19^d—) to the actual event (138/11/27) than are two of the dates (127/10/12 & 136/11/18) which the *Almajest* nearby gives for unqualified "greatest elongations"! This is evidence that genuine accurate ancient data were available to Ptolemy — but it is also evidence that he knew enough to realize how dishonest it was to invent "better" data whenever he wished to promote the calculated deception that his models truly represented the heavens.

time greater than his own [rather than reality's] greatest.)

I6 Familiarly, we are here confronted with two quite different Ptolemy superexcesses: fraud *and* bungling. [Nobody's perfect.] R.Newton's low evaluation of Ptolemy coherently solves both. (By contrast, Ptolemy's Occam-defying, Osgoodly-impenetrable defenders continue [see similarly at *DIO 4.3* ‡15 §F5, *DIO 10* §L9 & fn 109] to have to concoct & juggle multiple distinct and disjunct alibis: fnn 20&61.) E.g., for one of his two initial Venus proofs [either *Almajest* 10.1 or 10.2], why couldn't a smart faker have just used the nearly identical Venus 128/12/16 greatest evening elongation instead of the 136/12/14 one? This would have to earn fewer snickers than Ptolemy's actual procedure: using the very SAME Venus 136 AD greatest elongation in two *conflicting* proofs, megacontradictorily.

I7 NS-OG's sober alibiing of Ptolemy's Venus fumblefarces is akin to a defense-lawyer going into court to get-off a counterfeiter who was so stupidly careless that he accidentally printed Ben Franklin on both sides of his attempts at faking hundred-dollar bills. What lawyer (outside innermost *JHADum*) would try to excuse such inept criminality by claiming that the bungled bucks showed *immortal, greatest-technician-of-the-era BRILLIANCE?*

I8 A penchant for such almost-perfectly-inverted judgements seems to be bubonically infectious in the Muffiose circle. (See also, e.g., fnn 7&35, *DIO 11.1* p.2.) Note that these cranial warps issue not from the Flat Earthers or the Scientologists but from highly placed professors at Harvard and the University of Chicago, and are regarded as utterances-of-genius by no less than the MacArthur Foundation.

I9 We know (‡5 §C2, Rawlins 1991W fn 123, or Swerdlow 1989 p.32) that Ptolemy got his Venus *r* from Pliny (77 AD) or his sources, and we found hints of Ptolemy's *e* and *A* at eq.30 & fn 48, respectively. However, the more important point is: his *e* is not only wrong but the correct value could have been estimated in his own time — and with just two years of real elongation data (§H2) — by techniques (explained in our present paper and that [‡7] following) comparable to those he said he used for the outer planets (fn 27).

I10 So it is no longer relevant to claim⁵⁹ that R.Newton was unhistorical in using modern math and computers to get his best-fit Venus elements (R.Newton 1977 p.311 Table XI.2). For, we have already demonstrated here by quantitative test⁶⁰ that the ancient-style trio-based method of the present paper would have gotten virtually the same results as R.Newton, and from just a few years of careful observations — taken *outdoors*.

I11 But it's that italicized last condition that was always a problem with Ptolemy. For, as we know on other and even simpler evidence, "Ptolemy doesn't seem to have allowed his eyeballs out at night."⁶¹

⁵⁹ Based upon this cocky delusion, HamSwerdlow 1981 pp.62-63 heaps superior-airs scorn upon R.Newton: "[his] arguments make anachronistic demands on what someone in antiquity should have been able to do, e.g., Ptolemy should have found the elements for the planets that Newton had his computer find in making a best-fit model for a series of accurate planetary positions in all orbital configurations." Yet the present paper's simple method could produce Venus elements very near those of R.Newton's analysis, from 2^y of accurate gr.elong data (§H2) plus a few minutes of math (§E13).

⁶⁰ §H2 (& see fn 48) successfully compared elements gotten from a mere trio (eqs.46&47) to the result (eq.48) of R.Newton's Gaussian statistical fit (based upon dozens of Venus positions).

⁶¹ See Rawlins 1985G p.266 & fn 6 [& fn 6 here], where we show: just as Ptolemy gives 2 contradictory data-sets for the same Venus elongations (fn 14), he also gives 2 contradictory latitudes each for Alexandria (his own city!), Heliopolis, & Syene. (And his Mercury contradiction [Rawlins 1987 pp.236-237, Rawlins 2003J fn 34] is worse.) In closing, we recall: when in 1976, O.Gingerich plunged into defending Ptolemy (fn 12), *he didn't yet know of the Venus double-date contradiction*. So, when, in 1983, Venus-disaster hit Ptolemy's biggest fan (fn 5), OG could only react with an elaborately complex rationalization (§A3) to defend his original position. Which suggests a challenge: for Ptolemyists' next unOccamite trick, they should concoct another & equally fancy ad-hoc *singular* theory, sculpted specially to explain-away Ptolemy's equally contradictory double city-latitudes, so as to again (like §16 [& see *DIO 6* ‡1 fn 47]) avoid accepting a simple but hated *common* theory. For the latitude & Venus contradictions, the common explanation is plain&coherent: plagiarist Ptolemy was Dr.Sloppy-Copy.